

Crystal Palace Radio & Electronic Club

Crystal List

Reference	Frequency	Final Frequency	Quantity	Height mm	Width mm	Depth mm	Pins mm	Pin Length mm	Body
138	1	Frequency standard	1	19.4	18.4	8.0	12.3	3.5	Metal
139	1	Frequency standard	1	19.4	18.4	8.0	12.3	5.7	Metal
140	1.7		2	19.4	18.4	8.0	12.3	5.7	HC6/u Glass
137	1.75		1	19.3	18.3	8.0	12.3	6.3	Metal
141	2.182		1	19.4	18.4	8.0	12.3	5.7	Metal
142	2.637		1	19.4	18.4	8.0	12.3	5.7	Metal
143	3		2	19.4	18.4	8.0	12.3	5.7	Metal
144	3		1	19.4	18.4	8.0	12.3	30mm wire	Metal
145	3.71875	80m	1	19.4	18.4	8.0	12.3	5.7	Metal
146	3.75	80m	1	19.4	18.4	8.0	12.3	5.7	Metal
147	3.78125	80m	1	19.4	18.4	8.0	12.3	5.7	Metal
148	3.8125		1	19.4	18.4	8.0	12.3	5.7	Metal
149	3.84375		1	19.4	18.4	8.0	12.3	5.7	Metal
1	4.22939		1	13.0	10.0	3.7	5.0	4.6	Metal
150	4.351388		1	19.4	18.4	8.0	12.3	5.7	Metal
151	4.375		6	19.4	18.4	8.0	12.3	5.7	Metal
227	4.43362		2						HC6/u wire ends
228	4.43362		1						HC6/u in 6/12v oven
2	6.002	x 24 = 144.048	2	13.0	10.0	3.7	5.0	4.6	Metal
3	6.02	x 24 = 144.48	1	13.0	10.0	3.7	5.0	4.6	Metal
4	6.025	x 24 = 144.60	2	13.0	10.0	3.7	5.0	4.6	Metal
93	6.03333	x 24 = 144.8	2	13.0	10.0	3.7	5.0	4.6	Metal
5	6.034375	x 24 = 144.825	1	13.0	10.0	3.7	5.0	4.6	Metal
6	6.0375	x 24 = 144.90	1	13.0	10.0	3.7	5.0	4.6	Metal
7	6.040625	x 24 = 145.110	1	13.0	10.0	3.7	5.0	4.6	Metal
8	6.0415	x 24 = 144.996	1	13.0	10.0	3.7	5.0	4.6	Metal
8.1	6.04166	x 24 = 145.0	1	13.0	10.0	3.7	5.0	4.6	Metal
8.2	6.04375	x24 = 145.050	1	13.0	10.0	3.7	5.0	4.6	Metal
94	6.046875	x 24 = 145.125	1	13.0	10.0	3.7	5.0	4.6	Metal
95	6.047916	x 24 = 145.15	2	13.0	10.0	3.7	5.0	4.6	Metal
96	6.048958	x 24 = 145.175	2	13.0	10.0	3.7	5.0	4.6	Metal
10	6.05	x 24 = 145.2	2	13.0	10.0	3.7	5.0	4.6	Metal
12	6.053125	x 24 = 145.275	1	13.0	10.0	3.7	5.0	4.6	Metal
13	6.05625	x 24 = 145.350	1	13.0	10.0	3.7	5.0	4.6	Metal
14	6.059375	x 24 = 145.425	1	13.0	10.0	3.7	5.0	4.6	Metal
15	6.0625	x 24 = 145.5	1	13.0	10.0	3.7	5.0	4.6	Metal
97	6.06354	x 24 = 145.525	1	13.0	10.0	3.7	5.0	4.6	Metal
99	6.064583	x 24 = 145.55	1	13.0	10.0	3.7	5.0	4.6	Metal
100	6.06628	x 24 = 145.575	1	13.0	10.0	3.7	5.0	4.6	Metal
16	6.068	x 24 = 145.632	1	13.0	10.0	3.7	5.0	4.6	Metal
17	6.46916		1	13.0	10.0	3.7	5.0	38mm wire	Metal
152	7.14725		3	19.4	18.4	8.0	12.3	5.7	Metal
153	7.16667		3	19.4	18.4	8.0	12.3	5.7	Metal
18	7.168		3	13.0	10.0	3.7	5.0	38mm wire	Metal
154	7.74		2	19.4	18.4	8.0	12.3	5.7	Metal
19	8	x 18 = 144.0	1	13.0	10.0	3.7	5.0	4.6	Metal
20	8.3		1	13.0	10.0	3.7	5.0	4.6	Metal
21	8.325		1	13.0	10.0	3.7	5.0	4.6	Metal
155	8.7		1	19.4	18.4	8.0	12.3	5.7	Metal
22	8.875		1	13.0	10.0	3.7	5.0	4.6	Metal
156	8.89444		1	19.4	18.4	8.0	12.3	5.7	Metal
23	8.925		1	13.0	10.0	3.7	5.0	4.6	Metal

24	8.95		1	13.0	10.0	3.7	5.0	4.6	Metal
25	8.975		1	13.0	10.0	3.7	5.0	4.6	Metal
26	9.02	x 16 = 144.320	1	13.0	10.0	3.7	5.0	30mm wire	Metal
157	10		3	19.4	18.4	8.0	12.3	5.7	Metal
27	10.23		1	13.0	10.0	3.7	5.0	4.6	Metal
28	10.7		1	13.0	10.0	3.7	5.0	4.6	Metal
29	11.155		1	13.0	10.0	3.7	5.0	4.6	Metal
158	12		1	19.4	18.4	8.0	12.3	5.7	Metal
30	12.08333		1	13.0	10.0	3.7	5.0	4.6	Metal
159	12.111	x 12 = 145.332	1	19.4	18.4	8.0	12.3	5.7	Metal painted
233	12.1296	x 12 = 145.550	1						HC25/u
31	12.3985		1	13.0	10.0	3.7	5.0	4.6	Metal
32	12.5729		2	13.0	10.0	3.7	5.0	4.6	Metal
33	13		1	13.0	10.0	3.7	5.0	4.6	Metal
103	13.13		10	13.0	10.0	3.7	5.0	38mm wire	HC18/U Glass
34	13.1381		1	13.0	10.0	3.7	5.0	4.6	Metal
160	13.38333		1	19.4	18.4	8.0	12.3	5.7	Metal
35	13.53166		1	13.0	10.0	3.7	5.0	4.6	Metal
104	13.54		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
36	13.55666		1	13.0	10.0	3.7	5.0	4.6	Metal
37	13.58666		1	13.0	10.0	3.7	5.0	4.6	Metal
105	13.59		1	14.4	18.4	6.0	12.3	4.6	Metal with handle
38	13.59666		1	13.0	10.0	3.7	5.0	4.6	Metal
39	13.60666		1	13.0	10.0	3.7	5.0	4.6	Metal
40	13.61666		1	13.0	10.0	3.7	5.0	4.6	Metal
41	13.62166		1	13.0	10.0	3.7	5.0	4.6	Metal
42	13.63666		1	13.0	10.0	3.7	5.0	4.6	Metal
106	13.64		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
43	13.64166		1	13.0	10.0	3.7	5.0	4.6	Metal
44	13.65666		1	13.0	10.0	3.7	5.0	4.6	Metal
45	13.66666		1	13.0	10.0	3.7	5.0	4.6	Metal
107	13.69		1	14.4	18.4	6.0	12.3	4.6	Metal with handle
46	13.69166		1	13.0	10.0	3.7	5.0	4.6	Metal
108	13.74		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
109	13.79		1	14.4	18.4	6.0	12.3	4.6	Metal with handle
47	13.83333		1	13.0	10.0	3.7	5.0	4.6	Metal
110	13.84		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
111	13.89		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
161	13.9222		1	19.4	18.4	8.0	12.3	5.7	Metal painted
112	13.94		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
113	13.99		1	14.4	18.4	6.0	12.3	4.6	Metal with handle
48	14.1	20m	1	13.0	10.0	3.7	5.0	4.6	Metal
162	14.5		1	19.4	18.4	8.0	12.3	5.7	Metal painted
49	14.56666		1	13.0	10.0	3.7	5.0	8mm wire	Metal
50	14.81111		1	13.0	10.0	3.7	5.0	5mm wire	Metal
51	14.82777		1	13.0	10.0	3.7	5.0	5mm wire	Metal
52	14.83055		1	13.0	10.0	3.7	5.0	4.6	Metal
114	14.8485		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
115	14.8985		1	14.4	18.4	6.0	12.3	4.6	Metal with handle
116	14.9485		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
117	14.9985		1	14.4	18.4	6.0	12.3	4.6	Metal with handle
118	15.0485		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
119	15.0985		1	14.4	18.4	6.0	12.3	4.6	Metal with handle
120	15.1485		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
121	15.19851		1	14.4	18.4	6.0	12.3	4.6	Metal with handle
122	15.2485		1	14.4	18.4	6.0	12.3	4.6	Metal with nut

123	15.2985		1	14.4	18.4	6.0	12.3	4.6	Metal with handle
163	15.3407		1	19.4	18.4	8.0	12.3	5.7	Metal painted
164	16		2	19.4	18.4	8.0	12.3	5.7	Metal
53	16.02		1	13.0	10.0	3.7	5.0	4.6	Metal
165	18		3	19.4	18.4	8.0	12.3	5.7	Metal
124	18.2475		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
125	18.3725		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
126	18.4975		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
127	18.6225		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
128	18.7475		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
129	18.8725		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
130	18.9975		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
131	19.1225		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
132	19.2475		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
133	19.3725		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
134	19.4975		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
135	19.7475		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
136	19.8725		1	14.4	18.4	6.0	12.3	4.6	Metal with nut
166	20.006		1	19.4	18.4	8.0	12.3	5.7	Metal
54	20.04625		3	13.0	10.0	3.7	5.0	38mm wire	Metal
167	20.5		1	19.4	18.4	8.0	12.3	5.7	Metal
168	22	+ 28 = 50MHz	4	19.4	18.4	8.0	12.3	5.7	Metal
55	25.2138		1	13.0	10.0	3.7	5.0	4.6	HC25/U Glass
56	25.575		1	13.0	10.0	3.7	5.0	4.6	HC25/U Glass
169	28		2	19.4	18.4	8.0	12.3	5.7	Metal
170	30.8889		1	19.4	18.4	8.0	12.3	5.7	Metal
57	32		1	13.0	10.0	3.7	5.0	4.6	Metal
171	32.0778		1	19.4	18.4	8.0	12.3	5.7	Metal
172	32.2444		1	19.4	18.4	8.0	12.3	5.7	Metal
173	33.1167		1	19.4	18.4	8.0	12.3	5.7	Metal
174	33.1889		1	19.4	18.4	8.0	12.3	5.7	Metal
175	33.328		1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
176	34		3	19.4	18.4	8.0	12.3	5.7	Metal
177	34.1833		1	19.4	18.4	8.0	12.3	5.7	Metal
178	34.1835		1	19.4	18.4	8.0	12.3	5.7	Metal
179	34.2222		1	19.4	18.4	8.0	12.3	5.7	Metal
180	34.25		1	19.4	18.4	8.0	12.3	5.7	Metal
58	35.2222	70.4444	1	13.0	10.0	3.7	5.0	4.6	Metal
181	35.2222	70.4444	3	19.4	18.4	8.0	12.3	5.7	Metal
182	35.3333		1	19.4	18.4	8.0	12.3	5.7	Metal
59	35.4875		3	13.0	10.0	3.7	5.0	38mm wire	Metal
183	35.5444		2	19.4	18.4	8.0	12.3	5.7	Metal
60	35.7346		2	13.0	10.0	3.7	5.0	4.6	HC25/U Glass
184	36		2	19.4	18.4	8.0	12.3	5.7	Metal
61	36.2346		1	13.0	10.0	3.7	5.0	4.6	HC25/U Glass
62	36.333		1	13.0	10.0	3.7	5.0	4.6	Metal
185	36.35		1	19.4	18.4	8.0	12.3	5.7	Metal
229	37.195		1						HC6/u
63	37.255		1	13.0	10.0	3.7	5.0	4.6	Metal
186	37.5833		1	19.4	18.4	8.0	12.3	5.7	Metal
230	37.804		1						HC6/u
64	38.4667		1	13.0	10.0	3.7	5.0	4.6	Metal
187	38.68		1	19.4	18.4	8.0	12.3	5.7	Metal
188	38.7444		1	19.4	18.4	8.0	12.3	5.7	Metal
189	38.9889		2	19.4	18.4	8.0	12.3	5.7	Metal
190	39.1667		2	19.4	18.4	8.0	12.3	5.7	Metal

65	39.33333		1	13.0	10.0	3.7	5.0	13mm wire	Metal
66	39.6667		1	13.0	10.0	3.7	5.0	4.6	Metal
191	39.6667		1	19.4	18.4	8.0	12.3	5.7	Metal
192	39.8556		1	19.4	18.4	8.0	12.3	5.7	Metal
193	40		2	19.4	18.4	8.0	12.3	5.7	Metal
194	40.25		2	19.4	18.4	8.0	12.3	5.7	Metal
195	41.85		1	19.4	18.4	8.0	12.3	5.7	Metal
67	41.933333		1	13.0	10.0	3.7	5.0	4.6	Metal
196	42.62812		1	19.4	18.4	8.0	12.3	5.7	Metal
68	43		1	13.0	10.0	3.7	5.0	4.6	Metal
69	43.133333		1	13.0	10.0	3.7	5.0	4.6	Metal
70	43.3		1	13.0	10.0	3.7	5.0	4.6	Metal
71	43.38333		1	13.0	10.0	3.7	5.0	4.6	Metal
72	43.43333		1	13.0	10.0	3.7	5.0	4.6	Metal
197	43.5555		1	19.4	18.4	8.0	12.3	5.7	Metal
73	43.7		1	13.0	10.0	3.7	5.0	4.6	Metal
198	44.0167		2	19.4	18.4	8.0	12.3	5.7	Metal
74	44.06666		1	13.0	10.0	3.7	5.0	4.6	Metal
75	44.2		1	13.0	10.0	3.7	5.0	4.6	Metal
199	44.4375	144.0125	1	19.4	18.4	8.0	12.3	5.7	Metal
200	44.62812	144.58436	1	19.4	18.4	8.0	12.3	5.7	Metal
201	44.6667	144.7001	1	19.4	18.4	8.0	12.3	5.7	Metal
76	44.8888	145.3664	1	13.0	10.0	3.7	5.0	4.6	Metal
77	45.025	145.775	1	13.0	10.0	3.7	5.0	4.6	Metal
78	45.55		1	13.0	10.0	3.7	5.0	4.6	Metal
79	46		2	13.0	10.0	3.7	5.0	4.6	Metal
80	46.43333		1	13.0	10.0	3.7	5.0	4.6	Metal
81	46.7		1	13.0	10.0	3.7	5.0	4.6	Metal
82	47.71667		1	13.0	10.0	3.7	5.0	4.6	Metal
83	48.93333		4	13.0	10.0	3.7	5.0	4.6	Metal
84	50		1	13.0	10.0	3.7	5.0	4.6	Metal
102	50.44166	Rx 162.025 or 6m	1	13.0	10.0	3.7	5.0	4.6	Metal
202	51.10416	6m	1	19.4	18.4	8.0	12.3	5.7	Metal
85	51.72666	144.48 Rx or 6m	1	13.0	10.0	3.7	5.0	4.6	Metal
86	51.76666	144.6 Rx or 6m	1	13.0	10.0	3.7	5.0	4.6	Metal
87	51.9	145.0 Rx or 6m	1	13.0	10.0	3.7	5.0	4.6	Metal
88	51.9583	145.175 Rx or 6m	1	13.0	10.0	3.7	5.0	4.6	Metal
101	52.15	145.75 Rx	1	13.0	10.0	3.7	5.0	4.6	Metal
203	53.77083		1	19.4	18.4	8.0	12.3	5.7	Metal
89	55		2	13.0	10.0	3.7	5.0	4.6	Metal
90	55.73333		1	13.0	10.0	3.7	5.0	4.6	Metal
231	59.0603		1						HC6/U
232	59.18134		1						HC6/u Glass
91	70.6625		1	13.0	10.0	3.7	5.0	38mm wire	Metal
204	72.65	145.3	1	19.4	18.4	8.0	12.3	5.7	Metal
205	72.656	145.312	1	19.4	18.4	8.0	12.3	5.7	Metal
206	72.875	145.75	1	19.4	18.4	8.0	12.3	5.7	Metal
207	76.179		1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
92	78.75		2	13.0	10.0	3.7	5.0	38mm wire	Metal
208	79.5017		1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
209	79.5417		1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
210	80.8316		1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
211	80.8333		1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
212	80.8351		1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
213	82.1667		1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
214	84.625		1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass

215	84.65625	1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
216	92	1	19.4	18.4	8.0	12.3	5.7	Metal
217	95.625	1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
218	95.6263	1	19.4	18.4	8.0	12.3	5.7	Metal
219	95.65625	1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
220	95.7128	3	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
221	96.7128	2	19.4	18.4	8.0	12.3	5.7	Metal
222	96.7143	1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
223	97.6263	1	19.4	18.4	8.0	12.3	5.7	Metal
224	97.656	1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
225	97.65625	1	19.4	18.4	8.0	12.3	5.7	HC6/U Glass
226	99.9109	1	19.4	18.4	8.0	12.3	5.7	Metal